

To: Wagner, Christine[Wagner.Christine@epa.gov]
Cc: [Nonresponsive based on revised scope] westonsolutions.com]; [Nonresponsive based on revised scope] @epa.gov]; [Nonresponsive based on revised scope] westonsolutions.com]; [Nonresponsive based on revised scope] @epa.gov]; [Nonresponsive based on revised scope]

From: [Nonresponsive based on revised scope] /O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=C7EDFADEB7E14594B861A8AE389F6817-[Nonresponsive based on revised scope]

Sent: Fri 10/5/2018 8:02:17 PM (UTC)
Subject: Case# 47768, SDG# C0AD3 - Validated Data for Shiloh Church Road Site

- 47768 C0AD3 ltr.pdf
- 47768 C0AD3 DVR.pdf
- 47768 C0AD3 SSR.pdf
- EQuls 1 47768 C0AD3 Validated.xls
- EQuls 2 47768 C0AD3 Validated.xls
- EQuls 3 47768 C0AD3 Validated.xls
- EQuls 47768 C0AD3 Validated.xls


Christine Wagner
US EPA Region 3
1650 Arch Street
Philadelphia, PA 19103-2029

Christine,

Attached to this message you will find electronic files containing the validation report and validated data for Shiloh Church Road Site, Case# 47768, SDG# C0AD3. The validation of this case was completed by the Region III Environmental Services Assistance Team (ESAT).

Please contact ESAT's RPO, [Nonresponsive based on revised scope] by phone at 410-305-2607 or e-mail a [Nonresponsive based on revised scope] @epa.gov if additional assistance is needed.

TO # 0002 TDF # 0818124



[Nonresponsive based on revised scope] Research Technician | 410-305-3013 | [Nonresponsive based on revised scope] @epa.gov